To be delivered to: Mandavi Rural Municipality, Pyuthan

S.N.	Item Name	Description	Unit	Quantity
1	Megaphone	Rechargeable Megaphone 50W with Siren - Loud Speaker 800m Range - Portable and powerful.	Piece	2
2	Boots	Rubber, thick-soled, high cut. Medium Size	Pair	12
3	Safety helmet	Materials: PVC , size : Not less than 15" , shape : Round , Weight : Approx 250 gram	Piece	12
4	Rescue Gloves	Silica Fabric, Heat Resistant Gloves, Fire Proof	Pair	12
5	Reflective Jacket	Visibility Printed, reflective strip, Cotton cloth	Piece	12
6	Anti Dust Eye Glass	UV protection, Liquid splash protection	Piece	12
7	Torch Light	High capacity Flash Light	Piece	6
8	Head search light with battery	Halogen 55 W ABS LED Search Lights	Piece	12
9	Knee Pad	19cm(height)17cm(width)(leewayof+/-1cm).	Pair	12
10	Whistle	Plastic with lanyard	Piece	12
11	Stretcher	Folding Stretcher 2 fold is fitted with Canvas Top. Metallic pole ends which are fitted with nylon grip handles. ties available in head and leg end. The Load Capacity is up to 160 kg. Foldable in width wise and Length wise. Size 2080 x 550 x 130mm Material: Nylon	Piece	2
12	Tarpaulin	18*24 Fit 250 GSM	Piece	3
13	Hand wood cutter machine Petrol		Piece	1
13	Saw	Minimun cutting diameter: 20-inch (45cm)		_
14	bold cutter (Iron Cutter)	Medium Size	Piece	1
15	Dynamic Rope	Rope diameter to be between 8.3 mm and 11.5 mm Length: Not less than 50 Mtr/roll Made up of nylon and polyamide material, enduring durability and longevity Lightweight and portable, easy to carry	Roll	1
16	carabiner	Weight: 62 g (2.2 oz) Closed Gate Strength: 18 kN (4046 lbf) Open Gate Strength: 6 kN (1349 lbf) Minor Axis Strength: 7 kN (1574 lbf) Gate Opening: 18 mm (0.71 in) Made up af alloy Steel, Head treated, Min. Breaking Load: not less than 4500 ibs/ 23kn, Net weight: not less than 100gm	Pices	4
17	Hand Operating Siren	Dimension 45 x 37 x 58 cm, Weight 9 Kg, Output Frequency 600 Hz, Sound Rating 120 db	Piece	1
18	Throw bag	The 3/8" polypropylene rope is yellow for high visibility, The rope has a 1,900 pound tensile strength and it floats for good visibility on the	Piece	4
		water.		

20	Shovel	Medium size (Metal handle)	Piece	4
21	Crowbar	Overall length - Not less than 450 mm DIA -not less than 16 mm (18"*5/8") Ideal for removing nails & demolition work Forged with high-carbon steel Good for pulling nails & lifting	Piece	4
22	Pick-Axe with Handle	Chisel and pointed end, tempered steel, with handle	Piece	4
23	Axe with Wooden Handle	Tempered steel, Axe size 16*10 cm - (+3kg)	Piece	4
24	Bucket	Galvanized Teen, 2.5 ltr	Piece	6
25	Fire Extinguisher	6 kg, ABC Stored Pressure Multi-Purpose Type Fire Extinguisher. Certified to ISI MARK, BIS Approved.Certified by ISO 9001:2000, IS 15683:2012. 5-year expiry date. Stored pressure – Easy low-cost maintenance and can be verified easily with a pressure gauge. Effective for A, B, C & E Fire classifications of Fire. Controlled discharge with squeeze grip valve and levers. Supply the required accessories like wire strip brackets or L Brackets.	Piece	2
26	Hydraulic Jack	35 tone	Piece	1
27	FA Kit	Triangular Bandage-15 Pc, Roller bandage-3inch-15pc/4inch-15pc, Sterilized Gauzepad-15 Pc, Foresape-3pc, Scissor medium-3pc, Huppin-medium size-3set, Savlon-100ml-3pc, soap-Dettol 150-3pc, mask-2 box, gloves-medium 2 box,towel cotton-small-3pc, handiplast-1 box, oientment tube-100gm- 3 tube, adhesive tape-4 inch-3pc, Crepe bandage-4inch- 15 Pc, Spiral pad-3pc, ballpen-3pc, thermometer digital (microlab)-3 pc, ORS solution- 30 pc, Hand sanitizer- 100 ml 3 pc, Bag-1pc)	Set	4
28	Fire Safety Back Pack Spray(Forest Fire Sprayer)	Flow: 1020 to 120 ML Per Press Spray Range: About 8 Meters Spray Gun Length: 68 CM PVC Hose Lenght 1.2M Back Pack Material: Water Proof PVC Net Cloth Back Pack Capacity: 20 Liters. Dry Back Pack Weight: about 0.75-0.8 Kgs. Dimension: 50*65.5 Cm	Pices	2
29	Tin Truck	Cap Diameter: 10 Cm (L-6.5xB-2.6XH-3) 22 Gauze	Piece	1

To be delivered to: Sarumarani Rural Municipality, Pyuthan

S.N.	Item Name	Description	Unit	Quantity
1	Megaphone	Rechargeable Megaphone 50W with Siren - Loud Speaker 800m Range - Portable and powerful.	Piece	2
2	Boots	Rubber, thick-soled, high cut. Medium Size	Pair	12
3	Safety helmet	Materials: PVC , size : Not less than 15" , shape : Round , Weight : Approx 250 gram	Piece	12
4	Rescue Gloves	Silica Fabric, Heat Resistant Gloves, Fire Proof	Pair	12
5	Reflective Jacket	Visibility Printed, reflective strip, Cotton cloth	Piece	12
6	Anti Dust Eye Glass	UV protection, Liquid splash protection	Piece	12
7	Torch Light	High capacity Flash Light	Piece	6
8	Head search light with battery	Halogen 55 W ABS LED Search Lights	Piece	12
9	Knee Pad	19cm(height)17cm(width)(leewayof+/-1cm).	Pair	12
10	Whistle	Plastic with lanyard	Piece	12
11	Stretcher	Folding Stretcher 2 fold is fitted with Canvas Top. Metallic pole ends which are fitted with nylon grip handles. ties available in head and leg end. The Load Capacity is up to 160 kg. Foldable in width wise and Length wise. Size 2080 x 550 x 130mm Material: Nylon	Piece	2
12	Tarpaulin	18*24 Fit 250 GSM	Piece	3
13	Hand wood cutter machine Petrol Saw	2 stroke engine, 1 cylinder Minimun cutting diameter: 20-inch (45cm)	Piece	1
14	bold cutter (Iron Cutter)	Medium Size	Piece	1
15	Dynamic Rope(Dynamic ropes are designed to stretch and absorb the shock of a falling lead climber or rescue professional).	Rope diameter to be between 8.3 mm and 11.5 mm Length: Not less than 50 Mtr/roll Made up of nylon and polyamide material, enduring durability and longevity Lightweight and portable, easy to carry	Roll	1
16	carabiner	Weight: 62 g (2.2 oz) Closed Gate Strength: 18 kN (4046 lbf) Open Gate Strength: 6 kN (1349 lbf) Minor Axis Strength: 7 kN (1574 lbf) Gate Opening: 18 mm (0.71 in) Made up af alloy Steel, Head treated, Min. Breaking Load: not less than 4500 ibs/ 23kn, Net weight: not less than 100gm	Pices	4
17	Hand Operating Siren	Dimension 45 x 37 x 58 cm, Weight 9 Kg, Output Frequency 600 Hz, Sound Rating 120 db	Piece	1
18	Throw bag	The 3/8" polypropylene rope is yellow for high visibility, The rope has a 1,900 pound tensile strength and it floats for good visibility on the water.	Piece	4
19	Sledge Hammer	5 Kg	Piece	2

20	Shovel	Medium size (Metal handle)	Piece	4
21	Crowbar	Overall length - Not less than 450 mm DIA -not less than 16 mm (18"*5/8") Ideal for removing nails & demolition work Forged with high-carbon steel Good for pulling nails & lifting	Piece	4
22	Pick-Axe with Handle	Chisel and pointed end, tempered steel, with handle	Piece	4
23	Axe with Wooden Handle	Tempered steel, Axe size 16*10 cm - (+3kg)	Piece	4
24	Bucket	Galvanized Teen, 2.5 ltr	Piece	6
25	Fire Extinguisher	6 kg, ABC Stored Pressure Multi-Purpose Type Fire Extinguisher. Certified to ISI MARK, BIS Approved.Certified by ISO 9001:2000, IS 15683:2012. 5-year expiry date. Stored pressure – Easy low-cost maintenance and can be verified easily with a pressure gauge. Effective for A, B, C & E Fire classifications of Fire. Controlled discharge with squeeze grip valve and levers. Supply the required accessories like wire strip brackets or L Brackets.	Piece	2
26	Hydraulic Jack	35 tone	Piece	1
27	FA Kit	Triangular Bandage-15 Pc, Roller bandage-3inch-15pc/4inch-15pc, Sterilized Gauzepad-15 Pc, Foresape-3pc, Scissor medium-3pc, Huppin-medium size-3set, Savlon-100ml-3pc, soap-Dettol 150-3pc, mask-2 box, gloves-medium 2 box,towel cotton-small-3pc, handiplast-1 box, oientment tube-100gm- 3 tube, adhesive tape-4 inch-3pc, Crepe bandage-4inch- 15 Pc, Spiral pad-3pc, ballpen-3pc, thermometer digital (microlab)-3 pc, ORS solution- 30 pc, Hand sanitizer- 100 ml 3 pc, Bag-1pc)	Set	4
28	Fire Safety Back Pack Spray(Forest Fire Sprayer)	Flow: 1020 to 120 ML Per Press Spray Range: About 8 Meters Spray Gun Length: 68 CM PVC Hose Lenght 1.2M Back Pack Material: Water Proof PVC Net Cloth Back Pack Capacity: 20 Liters. Dry Back Pack Weight: about 0.75-0.8 Kgs. Dimension: 50*65.5 Cm Cap Diameter: 10 Cm	Pices	2
29	Tin Truck	(L-6.5xB-2.6XH-3) 22 Gauze	Piece	1

To be delivered to: Nalgad Municipality, Jajarkot

S.N.	Item Name	Description	Unit	Quantity
1	Megaphone	Rechargeable Megaphone 50W with Siren - Loud Speaker 800m Range - Portable and powerful.	Piece	2
2	Boots	Rubber, thick-soled, high cut. Medium Size	Pair	12
3	Safety helmet	Materials: PVC , size : Not less than 15" , shape : Round , Weight : Approx 250 gram	Piece	0
4	Rescue Gloves	Silica Fabric, Heat Resistant Gloves, Fire Proof	Pair	12
5	Reflective Jacket	Visibility Printed, reflective strip, Cotton cloth	Piece	12
6	Anti Dust Eye Glass	UV protection, Liquid splash protection	Piece	12
7	Torch Light	High capacity Flash Light	Piece	6
8	Head search light with battery	Halogen 55 W ABS LED Search Lights	Piece	12
9	Knee Pad	19cm(height)17cm(width)(leewayof+/-1cm).	Pair	12
10	Whistle	Plastic with lanyard	Piece	12
11	Stretcher	Folding Stretcher 2 fold is fitted with Canvas Top. Metallic pole ends which are fitted with nylon grip handles. ties available in head and leg end. The Load Capacity is up to 160 kg. Foldable in width wise and Length wise. Size 2080 x 550 x 130mm Material: Nylon	Piece	2
12	Tarpaulin	18*24 Fit 250 GSM	Piece	3
12	Hand wood cutter machine	2 stroke engine, 1 cylinder		
13	Petrol Saw	Minimun cutting diameter: 20-inch (45cm)	Piece	1
14	bold cutter (Iron Cutter)	Medium Size	Piece	1
15	Dynamic Rope(Dynamic ropes are designed to stretch and absorb the shock of a falling lead climber or rescue professional).	Length: Not less than 50 Mtr/roll	Roll	1
16	carabiner	Weight: 62 g (2.2 oz) Closed Gate Strength: 18 kN (4046 lbf) Open Gate Strength: 6 kN (1349 lbf) Minor Axis Strength: 7 kN (1574 lbf) Gate Opening: 18 mm (0.71 in) Made up af alloy Steel, Head treated, Min. Breaking Load: not less than 4500 ibs/ 23kn, Net weight: not less than 100gm	Pices	4
17	Hand Operating Siren	Dimension 45 x 37 x 58 cm, Weight 9 Kg, Output Frequency 600 Hz, Sound Rating 120 db	Piece	1
18	Throw bag	The 3/8" polypropylene rope is yellow for high visibility, The rope has a 1,900 pound tensile strength and it floats for good visibility on the water.	Piece	4

Dowerall length - Not less than 450 mm DIA - not less than 16 mm (18"+5/8") Ideal for removing nails & demolition work Forged with high-carbon steel Good for pulling nails & lifting Ghisel and pointed end, tempered steel, with Piece 4 Axe with Wooden Handle Tempered steel, Axe size 16*10 cm - (+3kg) Piece 4 Galvanized Teen, 2.5 ltr Piece 6 6 6 6 6 6 6 6 6	20	Shovel	Medium size (Metal handle)	Piece	4
Pick-Axe with Handle	21	Crowbar	DIA -not less than 16 mm (18"*5/8") Ideal for removing nails & demolition work Forged with high-carbon steel	Piece	4
24 Bucket Galvanized Teen, 2.5 ltr 6 kg, ABC Stored Pressure Multi-Purpose Type Fire Extinguisher. Certified to ISI MARK, BIS Approved.Certified by ISO 9001:2000, IS 15683:2012. 5-year expiry date. Stored pressure — Easy low-cost maintenance and can be verified easily with a pressure gauge. Effective for A, B, C & E Fire classifications of Fire. Controlled discharge with squeeze grip valve and levers. Supply the required accessories like wire strip brackets or L Brackets. 26 Hydraulic Jack 35 tone 7 Triangular Bandage-15 Pc, Roller bandage-3inch-15pc/4inch-15pc, Sterilized Gauzepad-15 Pc, Foresape-3pc, Scissor medium-3pc, Huppin-medium size-3set, Savlon-100ml-3pc, soap-Dettol 150-3pc, mask-2 box, gloves-medium 2 box, towel cotton-small-3pc, handiplast-1 box, oientment tube-100gm-3 tube, adhesive tape-4 inch-3pc, Crepe bandage-4inch-15 Pc, Spiral pad-3pc, ballpen-3pc, thermometer digital (microlab)-3 pc, ORS solution-30 pc, Hand sanitizer-100 ml 3 pc, Bag-1pc) Flow: 1020 to 120 ML Per Press Spray Range: About 8 Meters Spray Gun Length: 68 CM PVC Hose Length 1.2M Back Pack Material: Water Proof PVC Net Cloth Back Pack Capacity: 20 Liters. Dry Back Pack Weight: about 0.75-0.8 Kgs. Dimension: 50*65.5 Cm Cap Diameter: 10 Cm 6 kg, ABC Stored Pressure Multi-Purpose Type Fire Extinguisher. Piece 2 2 briese Service Survey Su	22	Pick-Axe with Handle	Chisel and pointed end, tempered steel, with	Piece	4
6 kg, ABC Stored Pressure Multi-Purpose Type Fire Extinguisher. Certified to ISI MARK, BIS Approved.Certified by ISO 9001:2000, IS 15683:2012. 5-year expiry date. Stored pressure — Easy low-cost maintenance and can be verified easily with a pressure gauge. Effective for A, B, C & E Fire classifications of Fire. Controlled discharge with squeeze grip valve and levers. Supply the required accessories like wire strip brackets or L Brackets. 26 Hydraulic Jack 35 tone Piece 1 Triangular Bandage-15 Pc, Roller bandage-3inch-15pc/4inch-15pc, Sterilized Gauzepad-15 Pc, Foresape-3pc, Scissor medium-3pc, Huppin-medium size-3set, Savlon-100ml-3pc, soap-Dettol 150-3pc, mask-2 box, gloves-medium 2 box,towel cotton-small-3pc, handiplast-1 box, oientment tube-100gm-3 tube, adhesive tape-4 inch-3pc, Crepe bandage-4inch-15 Pc, Spiral pad-3pc, ballpen-3pc, thermometer digital (microlab)-3 pc, ORS solution-30 pc, Hand sanitizer- 100 ml 3 pc, Bag-1pc) Flow: 1020 to 120 ML Per Press Spray Range: About 8 Meters Spray Gun Length: 68 CM PVC Hose Length 1.2M Back Pack Material: Water Proof PVC Net Cloth Back Pack Capacity: 20 Liters. Dry Back Pack Weight: about 0.75-0.8 Kgs. Dimension: 50*65.5 Cm Cap Diameter: 10 Cm	23	Axe with Wooden Handle	Tempered steel, Axe size 16*10 cm - (+3kg)	Piece	4
Extinguisher. Certified to ISI MARK, BIS Approved.Certified by ISO 9001:2000, IS 15683:2012. 5-year expiry date. Stored pressure – Easy low-cost maintenance and can be verified easily with a pressure gauge. Effective for A, B, C & E Fire classifications of Fire. Controlled discharge with squeeze grip valve and levers. Supply the required accessories like wire strip brackets or L Brackets. 26 Hydraulic Jack 35 tone Piece 1 Triangular Bandage-15 Pc, Roller bandage-3inch-15pc/4inch-15pc, Sterilized Gauzepad-15 Pc, Foresape-3pc, Scissor medium-3pc, Huppin-medium size-3set, Savlon-100ml-3pc, soap-Dettol 150-3pc, mask-2 box, gloves-medium 2 box, towel cotton-small-3pc, handiplast-1 box, oientment tube-100gm-3 tube, adhesive tape-4 inch-3pc, Crepe bandage-4inch-15 Pc, Spiral pad-3pc, ballpen-3pc, thermometer digital (microlab)-3 pc, ORS solution-30 pc, Hand sanitizer-100 ml 3 pc, Bag-1pc) Flow: 1020 to 120 ML Per Press Spray Range: About 8 Meters Spray Gun Length: 68 CM PVC Hose Length 1.2M Back Pack Material: Water Proof PVC Net Cloth Back Pack Pack Capacity: 20 Liters. Dry Back Pack Weight: about 0.75-0.8 Kgs. Dimension: 50*65-5 Cm Cap Diameter: 10 Cm	24	Bucket	Galvanized Teen, 2.5 ltr	Piece	6
Triangular Bandage-15 Pc, Roller bandage-3inch- 15pc/4inch-15pc, Sterilized Gauzepad-15 Pc, Foresape-3pc, Scissor medium-3pc, Huppin- medium size-3set, Savlon-100ml-3pc, soap-Dettol 150-3pc, mask-2 box, gloves-medium 2 box,towel cotton-small-3pc, handiplast-1 box, oientment tube-100gm- 3 tube, adhesive tape-4 inch-3pc, Crepe bandage-4inch- 15 Pc, Spiral pad-3pc, ballpen-3pc, thermometer digital (microlab)-3 pc, ORS solution- 30 pc, Hand sanitizer- 100 ml 3 pc, Bag-1pc) Flow: 1020 to 120 ML Per Press Spray Range: About 8 Meters Spray Gun Length: 68 CM PVC Hose Length 1.2M Back Pack Material: Water Proof PVC Net Cloth Back Pack Capacity: 20 Liters. Dry Back Pack Weight: about 0.75-0.8 Kgs. Dimension: 50*65.5 Cm Cap Diameter: 10 Cm			Extinguisher. Certified to ISI MARK, BIS Approved.Certified by ISO 9001:2000, IS 15683:2012. 5-year expiry date. Stored pressure – Easy low-cost maintenance and can be verified easily with a pressure gauge. Effective for A, B, C & E Fire classifications of Fire. Controlled discharge with squeeze grip valve and levers. Supply the required accessories like wire strip brackets or L Brackets.		
Fire Safety Back Pack Spray(Forest Fire Sprayer) Fire Safety Back Pack PVC Hose Lenght 1.2M Back Pack Material: Water Proof PVC Net Cloth Back Pack Capacity: 20 Liters. Dry Back Pack Weight: about 0.75-0.8 Kgs. Dimension: 50*65.5 Cm Cap Diameter: 10 Cm	27	FA Kit	15pc/4inch-15pc, Sterilized Gauzepad-15 Pc, Foresape-3pc, Scissor medium-3pc, Huppin-medium size-3set, Savlon-100ml-3pc, soap-Dettol 150-3pc, mask-2 box, gloves-medium 2 box,towel cotton-small-3pc, handiplast-1 box, oientment tube-100gm- 3 tube, adhesive tape-4 inch-3pc, Crepe bandage-4inch- 15 Pc, Spiral pad-3pc, ballpen-3pc, thermometer digital (microlab)-3 pc, ORS solution- 30 pc, Hand sanitizer- 100 ml 3 pc,	Set	4
	28	-	Flow: 1020 to 120 ML Per Press Spray Range: About 8 Meters Spray Gun Length: 68 CM PVC Hose Lenght 1.2M Back Pack Material: Water Proof PVC Net Cloth Back Pack Capacity: 20 Liters. Dry Back Pack Weight: about 0.75-0.8 Kgs. Dimension: 50*65.5 Cm	Pices	2
Z9 I In Truck I I I I I I I I I	29	Tin Truck	(L-6.5xB-2.6XH-3) 22 Gauze	Piece	1

To be delivered to: Barekot Rural Municipality, Jajarkot

S.N.	Item Name	Description	Unit	Quantity
1	Megaphone	Rechargeable Megaphone 50W with Siren - Loud Speaker 800m Range - Portable and powerful.	Piece	2
2	Boots	Rubber, thick-soled, high cut. Medium Size	Pair	0
3	Safety helmet	Materials: PVC , size : Not less than 15" , shape : Round , Weight : Approx 250 gram	Piece	0
4	Rescue Gloves	Silica Fabric, Heat Resistant Gloves, Fire Proof	Pair	12
5	Reflective Jacket	Visibility Printed, reflective strip, Cotton cloth	Piece	12
6	Anti Dust Eye Glass	UV protection, Liquid splash protection	Piece	12
7	Torch Light	High capacity Flash Light	Piece	6
8	Head search light with battery	Halogen 55 W ABS LED Search Lights	Piece	12
9	Knee Pad	19cm(height)17cm(width)(leewayof+/-1cm).	Pair	12
10	Whistle	Plastic with lanyard	Piece	12
11	Stretcher	Folding Stretcher 2 fold is fitted with Canvas Top. Metallic pole ends which are fitted with nylon grip handles. ties available in head and leg end. The Load Capacity is up to 160 kg. Foldable in width wise and Length wise. Size 2080 x 550 x 130mm Material: Nylon	Piece	2
12	Tarpaulin	18*24 Fit 250 GSM	Piece	3
13	Hand wood cutter machine	2 stroke engine, 1 cylinder	Piece	1
13	Petrol Saw	Minimun cutting diameter: 20-inch (45cm)	Piece	1
14	bold cutter (Iron Cutter)	Medium Size	Piece	1
15	Dynamic Rope(Dynamic ropes are designed to stretch and absorb the shock of a falling lead climber or rescue professional).	Rope diameter to be between 8.3 mm and 11.5 mm Length: Not less than 50 Mtr/roll Made up of nylon and polyamide material, enduring durability and longevity Lightweight and portable, easy to carry	Roll	1
16	carabiner	Weight: 62 g (2.2 oz) Closed Gate Strength: 18 kN (4046 lbf) Open Gate Strength: 6 kN (1349 lbf) Minor Axis Strength: 7 kN (1574 lbf) Gate Opening: 18 mm (0.71 in) Made up af alloy Steel, Head treated, Min. Breaking Load: not less than 4500 ibs/ 23kn, Net weight: not less than 100gm	Pices	4
17	Hand Operating Siren	Dimension 45 x 37 x 58 cm, Weight 9 Kg, Output Frequency 600 Hz, Sound Rating 120 db	Piece	1
18	Throw bag	The 3/8" polypropylene rope is yellow for high visibility, The rope has a 1,900 pound tensile strength and it floats for good visibility on the water.	Piece	4
19	Sledge Hammer	5 Kg	Piece	2

20	Shovel	Medium size (Metal handle)	Piece	4
21	Crowbar	Overall length - Not less than 450 mm DIA -not less than 16 mm (18"*5/8") Ideal for removing nails & demolition work Forged with high-carbon steel Good for pulling nails & lifting	Piece	4
22	Pick-Axe with Handle	Chisel and pointed end, tempered steel, with handle	Piece	4
23	Axe with Wooden Handle	Tempered steel, Axe size 16*10 cm - (+3kg)	Piece	4
24	Bucket	Galvanized Teen, 2.5 ltr	Piece	6
25	Fire Extinguisher	6 kg, ABC Stored Pressure Multi-Purpose Type Fire Extinguisher. Certified to ISI MARK, BIS Approved.Certified by ISO 9001:2000, IS 15683:2012. 5-year expiry date. Stored pressure – Easy low-cost maintenance and can be verified easily with a pressure gauge. Effective for A, B, C & E Fire classifications of Fire. Controlled discharge with squeeze grip valve and levers. Supply the required accessories like wire strip brackets or L Brackets.	Piece	2
26	Hydraulic Jack	35 tone	Piece	2
27	FA Kit	Triangular Bandage-15 Pc, Roller bandage-3inch-15pc/4inch-15pc, Sterilized Gauzepad-15 Pc, Foresape-3pc, Scissor medium-3pc, Huppin-medium size-3set, Savlon-100ml-3pc, soap-Dettol 150-3pc, mask-2 box, gloves-medium 2 box,towel cotton-small-3pc, handiplast-1 box, oientment tube-100gm- 3 tube, adhesive tape-4 inch-3pc, Crepe bandage-4inch-15 Pc, Spiral pad-3pc, ballpen-3pc, thermometer digital (microlab)-3 pc, ORS solution- 30 pc, Hand sanitizer- 100 ml 3 pc, Bag-1pc)	Set	4
28	Fire Safety Back Pack Spray(Forest Fire Sprayer)	Flow: 1020 to 120 ML Per Press Spray Range: About 8 Meters Spray Gun Length: 68 CM PVC Hose Lenght 1.2M Back Pack Material: Water Proof PVC Net Cloth Back Pack Capacity: 20 Liters.	Pices	2
		Dry Back Pack Weight: about 0.75-0.8 Kgs. Dimension: 50*65.5 Cm		
29	Tin Truck	, ,	Piece	1

To be delivered to: Kedarsyun Rural Municipality, Bajhang

S.N.	Item Name	Description	Unit	Quantity
1	Megaphone	Rechargeable Megaphone 50W with Siren - Loud Speaker 800m Range - Portable and powerful.	Piece	2
2	Boots	Rubber, thick-soled, high cut. Medium Size	Pair	12
3	Safety helmet	Materials: PVC , size : Not less than 15" , shape : Round , Weight : Approx 250 gram	Piece	12
4	Rescue Gloves	Silica Fabric, Heat Resistant Gloves, Fire Proof	Pair	12
5	Reflective Jacket	Visibility Printed, reflective strip, Cotton cloth	Piece	12
6	Anti Dust Eye Glass	UV protection, Liquid splash protection	Piece	12
7	Torch Light	High capacity Flash Light	Piece	6
8	Head search light with battery	Halogen 55 W ABS LED Search Lights	Piece	12
9	Knee Pad	19cm(height)17cm(width)(leewayof+/-1cm).	Pair	12
10	Whistle	Plastic with lanyard	Piece	12
11	Stretcher	Folding Stretcher 2 fold is fitted with Canvas Top. Metallic pole ends which are fitted with nylon grip handles. ties available in head and leg end. The Load Capacity is up to 160 kg. Foldable in width wise and Length wise. Size 2080 x 550 x 130mm Material: Nylon	Piece	2
12	Tarpaulin	18*24 Fit 250 GSM	Piece	3
13	Hand wood cutter machine Petrol Saw	2 stroke engine, 1 cylinder Minimun cutting diameter: 20-inch (45cm)	Piece	1
14	bold cutter (Iron Cutter)	Medium Size	Piece	1
15	Dynamic Rope(Dynamic ropes are designed to stretch and absorb the shock of a falling lead climber or rescue professional).	Rope diameter to be between 8.3 mm and 11.5 mm Length: Not less than 50 Mtr/roll Made up of nylon and polyamide material, enduring durability and longevity Lightweight and portable, easy to carry	Roll	1
16	carabiner	Weight: 62 g (2.2 oz) Closed Gate Strength: 18 kN (4046 lbf) Open Gate Strength: 6 kN (1349 lbf) Minor Axis Strength: 7 kN (1574 lbf) Gate Opening: 18 mm (0.71 in) Made up af alloy Steel, Head treated, Min. Breaking Load: not less than 4500 ibs/ 23kn, Net weight: not less than 100gm	Pices	4
17	Hand Operating Siren	Dimension 45 x 37 x 58 cm, Weight 9 Kg, Output Frequency 600 Hz, Sound Rating 120 db	Piece	1
18	Throw bag	The 3/8" polypropylene rope is yellow for high visibility, The rope has a 1,900 pound tensile strength and it floats for good visibility on the water.	Piece	4
19	Sledge Hammer	5 Kg	Piece	2

20	Shovel	Medium size (Metal handle)	Piece	4
		Overall length - Not less than 450 mm		
		DIA -not less than 16 mm (18"*5/8")		
21	Crowbar	Ideal for removing nails & demolition work	Piece	4
		Forged with high-carbon steel		
		Good for pulling nails & lifting		
		Chisel and pointed end, tempered steel, with		
22	Pick-Axe with Handle	handle	Piece	4
23	Axe with Wooden Handle	Tempered steel, Axe size 16*10 cm - (+3kg)	Piece	4
24	Bucket	Galvanized Teen, 2.5 ltr	Piece	6
25	Fire Extinguisher	6 kg, ABC Stored Pressure Multi-Purpose Type Fire Extinguisher. Certified to ISI MARK, BIS Approved.Certified by ISO 9001:2000, IS 15683:2012. 5-year expiry date. Stored pressure – Easy low-cost maintenance and can be verified easily with a pressure gauge. Effective for A, B, C & E Fire classifications of Fire. Controlled discharge with squeeze grip valve and levers. Supply the required accessories like wire strip brackets or L Brackets.	Piece	2
26	Hydraulic Jack	35 tone	Piece	1
	Tryaradic sack		11000	
27	FA Kit	Triangular Bandage-15 Pc, Roller bandage-3inch-15pc/4inch-15pc, Sterilized Gauzepad-15 Pc, Foresape-3pc, Scissor medium-3pc, Huppin-medium size-3set, Savlon-100ml-3pc, soap-Dettol 150-3pc, mask-2 box, gloves-medium 2 box,towel cotton-small-3pc, handiplast-1 box, oientment tube-100gm- 3 tube, adhesive tape-4 inch-3pc, Crepe bandage-4inch- 15 Pc, Spiral pad-3pc, ballpen-3pc, thermometer digital (microlab)-3 pc, ORS solution- 30 pc, Hand sanitizer- 100 ml 3 pc, Bag-1pc)	Set	4
28	Fire Safety Back Pack Spray(Forest Fire Sprayer)	Flow: 1020 to 120 ML Per Press Spray Range: About 8 Meters Spray Gun Length: 68 CM	Pices	2
29	Tin Truck	(L-6.5xB-2.6XH-3) 22 Gauze	Piece	1

To be delivered to: Thalara Rural Municipality, Bajhang

Speaker 800m Range - Portable and powerful. 2 Boots Rubber, thick-soled, high cut. Medium Size Pair 1 3 Safety helmet Materials: PVC, Size: Not less than 15", shape: Round, Weight: Approx 250 gram Piece 1 4 Rescue Gloves Silica Fabric, Heat Resistant Gloves, Fire Proof Pair 1 5 Reflective Jacket Visibility Printed, reflective strip, Cotton cloth Piece 1 6 Anti Dust Eye Glass UV protection, Liquid splash protection Piece 1 7 Torch Light High capacity Flash Light Piece 1 8 Head search light with battery Halogen 55 W ABS LED Search Lights Piece 1 9 Knee Pad 19cm(height)17cm(width)(leewayof+/-1cm). Pair 1 10 Whistle Plastic with lanyard Piece 1 11 Stretcher Plastic with lanyard Piece 1 12 Folding Stretcher 2 fold is fitted with Canvas Top. Metallic pole ends which are fitted with nylon grip handles. ties available in head and leg end. The Load Capacity is up to 160 kg. Foldable in width wise and Length wise. Size 2080 x 550 x 130mm Material: Nylon Piece 1 13 Saw Hand wood cutter machine Petrol Saw Medium Size Piece Medium Size Piece Medium Size Piece Dynamic Rope(Dynamic ropes are designed to stretch and absorb the shock of a falling lead climber or rescue professional). Length: Not less than 50 Mtr/roll Made up of nylon and polyamide material, enduring durability and longevity Lightweight and portable, easy to carry Weight: 62 g (2.2 oz) Closed Gate Strength: 18 kN (4046 lbf) Open Gate Strength: 18 kN (1349 lbf) Minor Axis Strength: 18 kN (14046 lbf) Open Gate Strength: 18 km (174 lbf) Gate Opening: 18 mm (0.71 in) Made up af alloy Steel, Head treated, Min. Breaking Load: not less than 4500 lbs/ 23kn, Net weight: not less than 4500 lbs/ 23kn, Net weight: not less than 100gm Piece 120 db The 3/8" polypropylene rope is yellow for high visibility, The rope has a 1,900 pound tensile strength and it floats for good visibility on the water.	S.N.	Item Name	Description	Unit	Quantity
A Rescue Gloves Silica Fabric, Heat Resistant Gloves, Fire Proof Pair 1 Reflective Jacket Visibility Printed, reflective strip, Cotton cloth Piece 1 Anti Dust Eye Glass UV protection, Liquid splash protection Piece 1 Torch Light High capacity Flash Light Piece 1 Torch Light Halogen 55 W ABS LED Search Lights Piece 1 Knee Pad 19 Knee Pad 19 Halogen 55 W ABS LED Search Lights Piece 1 Whistle Plastic with Janyard Piece 1 Whistle Plastic with Janyard Piece 1 Folding Stretcher 2 fold is fitted with Canvas Top. Metallic pole ends which are fitted with nylon grip handles. ties available in head and leg end. The Load Capacity is up to 160 kg. Foldable in width wise and Length wise. Size 2080 x 550 x 130mm Material: Nylon Piece 1 Tarpaulin 18*24 Fit 250 GSM Piece Minimum cutting diameter: 20-inch (45cm) Piece 1 Tarpaulin 28*24 Fit 250 GSM Piece Minimum cutting diameter: 20-inch (45cm) Piece Minimum cutting diameter: 20-inch (45cm) Piece 1 Tarpaulin 18*24 Fit 250 GSM Piece Minimum cutting diameter: 20-inch (45cm) Piece Medium Size Dynamic Rope(Dynamic ropes are designed to stretch and absorb the shock of a falling lead climber or rescue professional). Medium Size Rope diameter to be between 8.3 mm and 11.5 Made up of nylon and polyamide material, enduring durability and longevity Lightweight and portable, easy to carry Weight: 62 g (22 co) Closed Gate Strength: 18 kN (4046 lbf) Open Gate Strength: 18 km (4046 lbf) Open Gate Stren	1	Megaphone	I	Piece	2
A Rescue Gloves Silica Fabric, Heat Resistant Gloves, Fire Proof Pair Reflective Jacket Visibility Printed, reflective strip, Cotton cloth Piece Anti Dust Eye Glass UV protection, Liquid splash protection Piece Torch Light High capacity Flash Light Piece Head search light with battery Halogen 55 W ABS LED Search Lights Piece Nee Pad 19cm(height)17cm(width)(leewayof+/-1cm). Pair Whistle Plastic with lanyard Piece Folding Stretcher 2 fold is fitted with Canvas Top. Metallic pole ends which are fitted with nylon grip handles. ties available in head and leg end. The Load Capacity is up to 160 kg. Foldable in width wise and Length wise. Size 2080 x 550 x 130mm Material: Nylon Tarpaulin 18*24 Fit 250 GSM Piece Tarpaulin 18*24 Fit 250 GSM Piece Whistle Piece 19	2	Boots	Rubber, thick-soled, high cut. Medium Size	Pair	12
Seflective Jacket	3	Safety helmet	•	Piece	12
6 Anti Dust Eye Glass 7 Torch Light 8 Head search light with battery 9 Knee Pad 10 Whistle 10 Whistle 11 Stretcher 12 Tarpaulin 13 Stretcher 14 bold cutter (Iron Cutter) 15 Dynamic Rope(Dynamic ropes are designed to stretch and absorb the shock of a falling lead climber or rescue professional). 16 Carabiner 17 Carabiner 18 Anti Dust Eye Glass 18 Head search light with battery 19 Knee Pad 19 Knee Pad 19 Stretcher Stretcher Lights 10 Whistle 10 Whistle 10 Whistle 11 Stretcher 12 Folding Stretcher 2 fold is fitted with Canvas Top. Metallic pole ends which are fitted with nylon grip handles. ties available in head and leg end. The Load Capacity is up to 160 kg. Foldable in width wise and Length wise. Size 2080 x 550 x 130mm Material: Nylon 12 Tarpaulin 13 Stretcher 14 bold cutter (Iron Cutter) 15 Medium Size 16 Rope diameter to be between 8.3 mm and 11.5 mm 17 Length: Not less than 50 Mtr/roll 18 Made up of nylon and polyamide material, enduring durability and longevity Lightweight and portable, easy to carry 16 Weight: 62 g (2.2 oz) 17 Closed Gate Strength: 18 kN (4046 lbf) 18 Open Gate Strength: 18 kN (1574 lbf) 19 Gate Opening: 18 mm (0.71 in) 19 Made up af alloy Steel, Head treated, Min. Breaking Load: not less than 4500 lbs/ 23kn, Net weight: not less than 100gm 16 Dimension 45 x 37 x 58 cm, Weight 9 Kg, Output Frequency 600 Hz, Sound Rating 120 db 17 Hand Operating Siren 18 Throw bag 19 Piece 19 Joen Carbon Light with Light weight and it floats for good visibility on the water.	4	Rescue Gloves	Silica Fabric, Heat Resistant Gloves, Fire Proof	Pair	12
7 Torch Light High capacity Flash Light Piece Head search light with battery Halogen 55 W ABS LED Search Lights Piece 1 9 Knee Pad 19cm(height)17cm(width)(leewayof+/-1cm). Pair 1 10 Whistle Plastic with lanyard Piece 1 11 Stretcher Polding Stretcher 2 fold is fitted with Canvas Top. Metallic pole ends which are fitted with nylon grip handles. ties available in head and leg end. The Load Capacity is up to 160 kg. Foldable in width wise and Length wise. Size 2080 x 550 x 130mm Material: Nylon Piece 1 13 Saw Minimun cutting diameter: 20-inch (45cm) Piece 2 14 bold cutter (Iron Cutter) Medium Size Piece	5	Reflective Jacket	Visibility Printed, reflective strip, Cotton cloth	Piece	12
8 Head search light with battery 9 Knee Pad 19cm(height)17cm(width)(leewayof+/-1cm). 10 Whistle 11 Plastic with lanyard 12 Folding Stretcher 2 fold is fitted with Canvas Top. 13 Metallic pole ends which are fitted with nylon grip 14 handles. ties available in head and leg end. The 15 Load Capacity is up to 160 kg. Foldable in width 16 wise and Length wise. Size 2080 x 550 x 130mm 17 Material: Nylon 18*24 Fit 250 GSM 18*24 Fit 250 GSM 19 Piece 19 Piece 20 Stroke engine, 1 cylinder 20 Medium Size 20 Rope diameter: 20-inch (45cm) 21 Mand wood cutter machine Petrol 22 Stroke engine, 1 cylinder 23 Mand wood cutter (Iron Cutter) 24 Medium Size 25 Medium Size 26 Molimum cutting diameter: 20-inch (45cm) 26 Medium Size 27 Rope diameter to be between 8.3 mm and 11.5 28 mm 29 Length: Not less than 50 Mtr/roll 39 Made up of nylon and polyamide material, 30 enduring durability and longevity 30 Lightweight and portable, easy to carry 31 Lightweight and portable, easy to carry 32 Weight: 62 g (2.2 oz) 33 Closed Gate Strength: 18 kN (4046 lbf) 34 Open Gate Strength: 18 kN (4046 lbf) 35 Open Gate Strength: 18 kN (1349 lbf) 36 Minor Axis Strength: 7 kN (1574 lbf) 36 Gate Opening: 18 mm (0.71 in) 36 Made up af alloy Steel, Head treated, Min. 36 Breaking Load: not less than 4500 ibs/ 23kn, Net 37 weight: not less than 100gm 30 Dimension 45 x 37 x 58 cm, Weight 9 kg, Output 38 Frequency 600 Hz, Sound Rating 39 Dimension 45 x 37 x 58 cm, Weight 9 kg, Output 30 Servength: 18 Moly Piece 30 Dimension 45 x 37 x 58 cm, Weight 9 kg, Output 30 Servength: 18 Moly Piece 31 Mand Operating Siren 31 Servength: 18 Moly Piece 32 Dimension 45 x 37 x 58 cm, Weight 9 kg, Output 31 Servength: 18 Moly Piece 32 Dimension 45 x 37 x 58 cm, Weight 9 kg, Output 32 Dimension 45 x 37 x 58 cm, Weight 9 kg, Output 34 Piece 35 Dimension 45 x 37 x 58 cm, Weight 9 kg, Output 36 Dimension 45 x 37 x 58 cm, Weight 9 kg, Output 37 Piece 38 Dimension 45 x 37 x 58 cm, Weight 9 kg, Output 38 Dimension 45 x 37 x 58 cm, Weight 9 kg, Output 39 Dimension 45 x 37 x 58 cm, We	6	Anti Dust Eye Glass			12
9 Knee Pad 19cm(height)17cm(width)(leewayof+/-1cm). Pair 10 Whistle Plastic with lanyard Plastic with Canvas Top. Metallic pole ends which are fitted with nylon grip handles. ties available in head and leg end. The Load Capacity is up to 160 kg. Foldable in width wise and Length wise. Size 2080 x 550 x 130mm Material: Nylon Piece Plece Daylor of the saw Minimun cutting diameter: 20-inch (45cm) Piece Plece Daylor of the shock of control of the shock of a falling lead climber or rescue professional). Plece Daylor of the shock of a falling lead climber or rescue professional). Plece Daylor of the shock of a falling lead climber or rescue professional). Plece Daylor of the shock of a falling lead climber or rescue professional). Plece Daylor of the shock of a falling lead climber or rescue professional). Plece Daylor of the shock of a falling lead climber or rescue professional). Plece Daylor of the shock of a falling lead climber or rescue professional). Plece Daylor of the shock of a falling lead climber or rescue professional). Plece Daylor of the shock of a falling lead climber or rescue professional). Plece Daylor of the shock of a falling lead climber or rescue professional). Plece Daylor of the shock of a falling lead climber or rescue professional). Plece Daylor of the shock of a falling lead climber or rescue professional). Plece Daylor of the shock of a falling lead climber or rescue professional). Plece Daylor of the shock of a falling lead climber or rescue professional). Plece Daylor of the shock of a falling lead climber or rescue professional). Plece Daylor of the shock of a falling lead climber or rescue professional). Plece Daylor of the shock of a falling lead climber or rescue professional). Plece Daylor of the shock of a falling lead climber or rescue professional). Plece Daylor of the shock of a falling lead climber or rescue professional). Plece Day	7	Torch Light	High capacity Flash Light	Piece	6
Plastic with lanyard Piece 1	8	Head search light with battery	Halogen 55 W ABS LED Search Lights		12
Folding Stretcher 2 fold is fitted with Canvas Top. Metallic pole ends which are fitted with nylon grip handles. ties available in head and leg end. The Load Capacity is up to 160 kg. Foldable in width wise and Length wise. Size 2080 x 550 x 130mm Material: Nylon 12 Tarpaulin 18*24 Fit 250 GSM Piece 13 Saw 14 Bold cutter machine Petrol Saw Dynamic Rope(Dynamic ropes are designed to stretch and absorb the shock of a falling lead climber or rescue professional). 15 Made up of nylon and polyamide material, enduring durability and longevity Lightweight and portable, easy to carry Weight: 62 g (2.2 oz) Closed Gate Strength: 18 kN (4046 lbf) Open Gate Strength: 7 kN (1574 lbf) Gate Opening: 18 mm (0.71 in) Made up af alloy Steel, Head treated, Min. Breaking Load: not less than 4500 ibs/ 23kn, Net weight: not less than 100gm Dimension 45 x 37 x 58 cm, Weight 9 Kg, Output Frequency 600 Hz, Sound Rating 120 db The 3/8" polypropylene rope is yellow for high visibility, The rope has a 1,900 pound tensile strength and it floats for good visibility on the water.	9	Knee Pad	19cm(height)17cm(width)(leewayof+/-1cm).	Pair	12
Metallic pole ends which are fitted with nylon grip handles. ties available in head and leg end. The Load Capacity is up to 160 kg. Foldable in width wise and Length wise. Size 2080 x 550 x 130mm Material: Nylon 12 Tarpaulin 13 Saw 18*24 Fit 250 GSM 2 stroke engine, 1 cylinder Minimun cutting diameter: 20-inch (45cm) 2 stroke engine, 1 cylinder Minimun cutting diameter: 20-inch (45cm) 3 Medium Size 4 Medium Size 5 Dynamic Rope(Dynamic ropes are designed to stretch and absorb the shock of a falling lead climber or rescue professional). 15 Medium Size 6 Rope diameter to be between 8.3 mm and 11.5 mm 1 Length: Not less than 50 Mtr/roll 1 Made up of nylon and polyamide material, enduring durability and longevity 1 Lightweight and portable, easy to carry Weight: 62 g (2.2 oz) 1 Closed Gate Strength: 18 kN (4046 lbf) 1 Open Gate Strength: 7 kN (1574 lbf) 1 Gate Opening: 18 mm (0.71 in) 1 Made up af alloy Steel, Head treated, Min. 1 Breaking Load: not less than 4500 ibs/ 23kn, Net weight: not less than 100gm 2 Dimension 45 x 37 x 58 cm, Weight 9 Kg, Output 3 Frequency 600 Hz, Sound Rating 3 Throw bag 1 Throw bag 2 Throw bag and Length 2 Throw bag and bag and bag bag bag bag bag bag ba	10	Whistle	Plastic with lanyard	Piece	12
Hand wood cutter machine Petrol Saw	11	Stretcher	Metallic pole ends which are fitted with nylon grip handles. ties available in head and leg end. The Load Capacity is up to 160 kg. Foldable in width wise and Length wise. Size 2080 x 550 x 130mm	Piece	2
Hand wood cutter machine Petrol Saw	12	Tarpaulin	18*24 Fit 250 GSM	Piece	3
Medium Size Piece	13	Hand wood cutter machine Petrol	_ ·	Piece	1
Dynamic Rope(Dynamic ropes are designed to stretch and absorb the shock of a falling lead climber or rescue professional). Carabiner Carabiner					
Dynamic Rope(Dynamic ropes are designed to stretch and absorb the shock of a falling lead climber or rescue professional). Made up of nylon and polyamide material, enduring durability and longevity Lightweight and portable, easy to carry Weight: 62 g (2.2 oz) Closed Gate Strength: 18 kN (4046 lbf) Open Gate Strength: 7 kN (1574 lbf) Gate Opening: 18 mm (0.71 in) Made up af alloy Steel, Head treated, Min. Breaking Load: not less than 4500 ibs/ 23kn, Net weight: not less than 100gm Dimension 45 x 37 x 58 cm, Weight 9 Kg, Output Frequency 600 Hz, Sound Rating 120 db Throw bag Throw bag Throw bag Throw bag Throw bag mm Length: Not less than 50 Mtr/roll Made up of nylon and polyamide material, enduring durability and longevity Lightweight and longevity Ligh	14	bold cutter (Iron Cutter)		Piece	1
Weight: 62 g (2.2 oz) Closed Gate Strength: 18 kN (4046 lbf) Open Gate Strength: 6 kN (1349 lbf) Minor Axis Strength: 7 kN (1574 lbf) Gate Opening: 18 mm (0.71 in) Made up af alloy Steel, Head treated, Min. Breaking Load: not less than 4500 ibs/ 23kn, Net weight: not less than 100gm Dimension 45 x 37 x 58 cm, Weight 9 Kg, Output Frequency 600 Hz, Sound Rating 120 db The 3/8" polypropylene rope is yellow for high visibility, The rope has a 1,900 pound tensile strength and it floats for good visibility on the water.	15	designed to stretch and absorb the shock of a falling lead climber	mm Length: Not less than 50 Mtr/roll Made up of nylon and polyamide material, enduring durability and longevity	Roll	1
Hand Operating Siren Frequency 600 Hz, Sound Rating 120 db The 3/8" polypropylene rope is yellow for high visibility, The rope has a 1,900 pound tensile strength and it floats for good visibility on the water. Piece	16	carabiner	Weight: 62 g (2.2 oz) Closed Gate Strength: 18 kN (4046 lbf) Open Gate Strength: 6 kN (1349 lbf) Minor Axis Strength: 7 kN (1574 lbf) Gate Opening: 18 mm (0.71 in) Made up af alloy Steel, Head treated, Min. Breaking Load: not less than 4500 ibs/ 23kn, Net weight: not less than 100gm	Pices	4
Throw bag visibility, The rope has a 1,900 pound tensile strength and it floats for good visibility on the water.	17	Hand Operating Siren	Frequency 600 Hz, Sound Rating	Piece	1
10 Sladge Hammer S Vg	18	Throw bag	visibility, The rope has a 1,900 pound tensile strength and it floats for good visibility on the	Piece	4
Tallande Lauminer la vé la	19	Sledge Hammer	5 Kg	Piece	2

20	Shovel	Medium size (Metal handle)	Piece	4
		Overall length - Not less than 450 mm		
		DIA -not less than 16 mm (18"*5/8")		
21	Crowbar	Ideal for removing nails & demolition work	Piece	4
		Forged with high-carbon steel		
		Good for pulling nails & lifting		
		Chisel and pointed end, tempered steel, with		
22	Pick-Axe with Handle	handle	Piece	4
23	Axe with Wooden Handle	Tempered steel, Axe size 16*10 cm - (+3kg)	Piece	4
24	Bucket	Galvanized Teen, 2.5 ltr	Piece	6
25	Fire Extinguisher	6 kg, ABC Stored Pressure Multi-Purpose Type Fire Extinguisher. Certified to ISI MARK, BIS Approved.Certified by ISO 9001:2000, IS 15683:2012. 5-year expiry date. Stored pressure – Easy low-cost maintenance and can be verified easily with a pressure gauge. Effective for A, B, C & E Fire classifications of Fire. Controlled discharge with squeeze grip valve and levers. Supply the required accessories like wire strip brackets or L Brackets.	Piece	2
26	Hydraulic Jack	35 tone	Piece	1
27	FA Kit	Triangular Bandage-15 Pc, Roller bandage-3inch-15pc/4inch-15pc, Sterilized Gauzepad-15 Pc, Foresape-3pc, Scissor medium-3pc, Huppin-medium size-3set, Savlon-100ml-3pc, soap-Dettol 150-3pc, mask-2 box, gloves-medium 2 box,towel cotton-small-3pc, handiplast-1 box, oientment tube-100gm- 3 tube, adhesive tape-4 inch-3pc, Crepe bandage-4inch- 15 Pc, Spiral pad-3pc, ballpen-3pc, thermometer digital (microlab)-3 pc, ORS solution- 30 pc, Hand sanitizer- 100 ml 3 pc, Bag-1pc)	Set	4
28	Fire Safety Back Pack Spray(Forest Fire Sprayer)	Flow: 1020 to 120 ML Per Press Spray Range: About 8 Meters Spray Gun Length: 68 CM	Pices	2
29	Tin Truck	(L-6.5xB-2.6XH-3) 22 Gauze	Piece	1
		1,		